

From: [Mescher, Jean](#)
To: [Stephen Tzhone/R6/USEPA/US@EPA](#); [Kilburn, Dianna](#)
Subject: FW: [FWD: Monthly Arkwood Results - 6/11/12]
Date: 06/19/2012 09:47 AM
Attachments: [1206139.pdf](#)

Stephen and Diana,

Please see attached analytical results for the 6/11/12 sampling at the Arkwood site: 7.13 ppb PCP at the mouth and <5.00 ppb PCP at the weir.

Jean

From: jflee@oxfordeands.com [mailto:jflee@oxfordeands.com]
Sent: Tuesday, June 19, 2012 6:10 AM
To: Mescher, Jean
Subject: [FWD: Monthly Arkwood Results - 6/11/12]

Jean,

Here is your monthly analytical report. The site appears to be humming along. Have you had any response to the summary report?

Best Regards,

Jim

James E. Fleer
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jflee@oxfordeands.com

----- Original Message -----

Subject: Monthly Arkwood Results - 6/11/12
From: "Sydney James" <sjames@arkansasanalytical.com>
Date: Mon, June 18, 2012 4:24 pm
To: <jflee@oxfordeands.com>

****Please Note:** In a continued effort to go green, as of April 19, 2012, a hard copy of the analytical report will no longer be mailed. If you have any issues or concerns with this please contact Amanda Forbush or Sydney James**

Thanks,
Sydney James Randles

11701 Interstate 30
Bldg. 1, Ste. 115
Little Rock, AR 72209
501-455-3233
501-455-6118 (fax)

Business Hours - Mon-Thur - 8am-5pm, Fri - 8am-4pm

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.